

Case 109 – “Jane”

Overview: Jane’s case is an example of how inappropriate it is for Government and semi-Government bodies to force people to be vaccinated under threat of failing in studies, of not being employed (such as many nursing students), or being demoted or moved to positions that they do not want, especially when a safe and comparably effective option is available. The improvement Jane made following the vaccine potency makes it clear that the vaccine was the cause. It also shows how usually effective treatments can be of limited value if the true cause of a problem is not removed. Finally, it shows that conventional medical tests will frequently not show any problems following vaccine damage, despite the obvious fact that the patient is unwell.

15.11.07 I have never met Emma who is 20y/o. Her dad phoned me asking for help, and emailed me on 15.11.07.

Jane had been pressured into having the DTPa vaccine by her University, who threatened her with being failed in a subject she had just successfully studied.

She was vaccinated late afternoon on Thursday 18/10/07. On Saturday 20/10/07 she developed diarrhoea. She came into the family kitchen and collapsed against the fridge, and then to the ground. She breathed with difficulty, was very flushed, had a severe headache, her pulse was 100 and she was faint. She shook, weak muscles, spasms through the neck and back with gagging and stuttering. The injection site was bruised and raised without heat or inflammation.

Her parents took Jane to hospital emergency ward, and she spent the day there with repeated episodes of shaking, stuttering etc about every 15 minutes. The tests conducted by the hospital came back all clear. She was given IV fluids and pain killers, and the hospital doctors said she had a migraine.

Jane had chiropractic treatment on Sunday. The chiropractor also advised rest without stimulation, light, music, sun, tea, coffee, etc. Rest helped her, but by Monday she was worsening again. She visited her GP, and had two severe episodes in his clinic. His initial thought was a brain bleed, and Jane was admitted to hospital again for observation and an MRI, which was all clear.

Wednesday 24th she was given a Mora treatment to neutralise the vaccine, and this was repeated 2 weeks later. She took Thuja in potency from 22/10/07 plus vitamin C. She has also had nutritional medicine (her dad is a therapist).

Her dad reported that for the first 10 days following the vaccine Jane spent most of her time in a darkened room alone, resting. After a couple of weeks she was having only irregular episodes.

However the day before her father contacted me, Jane had attended University for 2 hours, and then collapsed, with stuttering, loss of muscle strength, and a marked deficit on the left side where she cannot pick up her left foot.

Rx. (1) DPT M as required (single dose, observe reaction, then repeat as symptoms dictate).

6.2.08 Jane is better on the remedy. Rx. DPT 10M.

17.6.08 Jane has greatly improved.

6.8.08 Still better.

Rx. (3) DPT 50M monthly. Take a few monthly doses, then cease when the need for treatment has concluded.

CASE FINISHED